


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

13384
E-24 (Revised to September 1, 1931.)

PUBLICATIONS OF THE BUREAU OF ENTOMOLOGY, U. S. DEPARTMENT OF AGRICULTURE,
AVAILABLE FOR FREE DISTRIBUTION.



Applicants are urgently requested to ask only for those publications in which they are particularly interested. The Department can not undertake to supply complete sets. The editions of some of the publications are necessarily limited, and when the Department's free supply is exhausted and no funds are available for procuring additional copies, applicants are referred to the Superintendent of Documents, Government Printing Office, Washington, D. C., who has them for sale at a nominal price.

Requests for publications should be addressed to the Office of Information, U. S. Department of Agriculture, this city. If you desire Farmers' Bulletins or Leaflets in quantities, you may be able to obtain them free by applying to your Representative in Congress or to one of your United States Senators.

Publications marked with an asterisk (*) are available from the Bureau of Entomology only.

FARMERS' BULLETINS

- 447F. Bees.
- 450F. Some facts about malaria.
- 627F. The house centipede.
- 658F. Cockroaches.
- 662F. The apple-tree tent caterpillar.
- 675F. The roundheaded apple-tree borer.
- 695F. Outdoor wintering of bees.
- 701F. The bagworm, an injurious shade-tree insect.
- 705F. The catalpa sphinx.
- 708F. The leopard moth: A dangerous imported enemy of shade trees.
- 722F. The leaf blister mite of pear and apple.
- 723F. The oyster-shell scale and the scurfy scale.
- 725F. Wireworms destructive to cereal and forage crops.
- 731F. The true army worm and its control.
- 735F. Flytraps and their operation.
- 735F. Cutworms and their control in corn and other cereal crops.
- 740F. House ants: Kinds and methods of control.
- 747F. Grasshoppers and their control with relation to cereal and forage crops.
- 752F. The fall army worm or "grass worm" and its control.
- 754F. The bedbug.
- 762F. The false chinch bug and measures for controlling it.
- 763F. Orchard barkbeetles and pinhole borers and how to control them.
- 799F. Carbon disulphid as an insecticide.
- 801F. Mites and lice on poultry.
- 831F. The red spider on cotton and how to control it.
- 835F. How to detect outbreaks of insects and save the grain crops.
- 846F. The tobacco beetle and how to prevent damage by it.
- 857F. Screw worms and other maggots affecting animals.
- 860F. Cranberry insect problems and suggestions for solving them.
- 855F. The rough-headed corn stalk-beetle in the Southern States and its control.
- 880F. Fumigation of ornamental greenhouse plants with hydrocyanic-acid gas.
- 891F. The corn root-aphis and methods of controlling it.
- 897F. Fleas and their control.

- 933F. Spraying for the control of insects and mites attacking citrus trees in Florida.
- 940F. Common white grubs.
- 944F. Controlling the garden webworm in alfalfa fields.
- 950F. The southern corn rootworm and farm practices to control it.
- 959F. The spotted garden slug.
- 961F. Transferring bees to modern hives.
- 971F. The control of the clover-flower midge.
- 975F. The control of European foulbrood.
- 982F. Control of the green clover worm in alfalfa fields.
- 1003F. How to control billbugs destructive to cereal and forage crops.
- 1006F. The jointworm and its control.
- 1012F. Preparation of bees for outdoor wintering.
- 1014F. Wintering bees in cellars.
- 1025F. The larger corn stalk-borer.
- 1029F. Conserving corn from weevils in the Gulf Coast States.
- 1039F. Commercial comb-honey production.
- 1061F. The harlequin cabbage bug and its control.
- 1065F. The flatheaded apple-tree borer.
- 1070F. The fowl tick and how premises may be freed from it.
- 1076F. The California oakworm.
- 1094F. The alfalfa caterpillar.
- 1097F. The stable fly: How to prevent its annoyance and its losses to live stock.
- 1101F. The Argentine ant as a household pest.
- 1104F. Book-lice or psocids: Annoying household pests.
- 1128F. Control of aphids injurious to orchard fruits, currant, gooseberry, and grape.
- 1156F. Angoumois grain moth.
- 1169F. Insects injurious to deciduous shade trees and their control.
- 1198F. Swarm control.
- 1206F. The corn earworm as an enemy of vetch.
- 1215F. Beekeeping in the clover region.
- 1216F. Beekeeping in the buckwheat region.
- 1217F. The green-bug or spring grain-aphis: How to prevent its periodical outbreaks.
- 1220F. Insect and fungous enemies of the grape.
- 1222F. Beekeeping in the tulip-tree region.
- 1246F. The peach borer.
- 1252F. Sawflies injurious to rose foliage.
- 1257F. Insects injurious to the mango in Florida and how to combat them.
- 1258F. Webworms injurious to cereal and forage crops and their control.
- 1259F. A sawfly injurious to young pines.
- 1260F. Stored grain pests.
- 1261F. The avocado: Its insect enemies and how to combat them.
- 1270F. The more important apple insects.
- 1275F. Weevils in beans and peas.
- 1285F. Lime-sulphur concentrate: Preparation, uses, and designs for plants.
- 1286F. The red-necked raspberry cane-borer.
- 1306F. Insect enemies of chrysanthemums.
- 1309F. Control of the common mealybug on citrus in California.

- umigation of citrus trees for control of insect pests.
The wheat strawworm and its control.
1326F. Control of the codling moth in the Pacific Northwest.
1329F. The boll weevil problem.
1344F. The strawberry rootworm as an enemy of the greenhouse rose.
1343F. Carpet beetles and their control.
1352F. The tobacco flea-beetle in the southern cigar-wrapper district.
1353F. Clothes moths and their control.
1354F. The yellow-fever mosquito.
1362F. Insects injurious to ornamental greenhouse plants and their control.
1371F. Diseases and insects of garden vegetables.
1408F. The house fly and how to suppress it.
1425F. The tobacco flea-beetle in the dark fire-cured tobacco district of Kentucky and Tennessee.
1461F. The common cabbage worm and its control.
1462F. The potato leafhopper and how to control it.
1472F. Preventing damage by termites or white ants.
1477F. Preventing damage by Lyctus powder-post beetles.
1483F. Control of insect pests in stored grain.
1484F. The clover leaf weevil and its control.
1489F. The green June beetle larvae in tobacco plant beds.
1494F. Tobacco cutworms and their control.
1495F. Insect enemies of the flower garden.
1498F. The chinch bug and how to fight it.
1499F. The melon aphid and its control.
1503F. The horse bots and their control.
1528F. The control of the alfalfa weevil.
1531F. The tobacco budworm and its control in the Georgia and Florida tobacco-growing region.
1543F. Insects injurious to the rice crop.
1548F. The European corn borer: Its present status and methods of control.
1557F. Insects attacking the peach in the South and how to control them.
1561F. The Porto Rican mole cricket.
1566F. The sorghum midge with suggestions for control.
1569F. Earthworms as pests and otherwise.
1570F. Mosquito remedies and preventives.
1582F. Protection of log cabins and rustic work from injurious insects.
1586F. The southern pine beetle: A serious enemy of pines in the South.
1595F. The bollworm or corn ear worm as a cotton pest.
1596F. Cattle grubs or heel flies with suggestions for their control.
1601F. Collection and preservation of insects for use in the study of agriculture.
1623F. The gipsy moth and the brown-tail moth.
1624F. The Mexican bean beetle in the East and its control.
1627F. The Hessian fly and how losses from it can be avoided.
1642F. Chalcid control in alfalfa-seed production.
1651F. The corn earworm as an enemy of field corn in the Eastern States.
1654F. Insects of the pecan and how to control them.
1655F. The control of moths in upholstered furniture.
1657F. The Great Basin wireworm in the Pacific Northwest.
1665F. The silverfish as a pest of the household.

- 1666F. Insecticides, equipment, and methods for controlling orchard insect pests. (In press.)
1668F. The red harvester ant and how to subdue it. (In press.)
1676F. Lubricating-oil sprays for use on dormant fruit trees. (In press.)

LEAFLETS

- 2L. Cutworms in the garden.
12L. The striped blister beetle on soybeans.
31L. Termites in buildings.
37L. Poisoning the cotton boll weevil.
53L. Cotton-louse control.

POSTERS

- E-149. Destroy grasshoppers with poison-bran bait.
E-155. Spray potato fields.
E-177. The Hessian fly.
E-178. Wheat jointworm.
E-179. The alfalfa seed chalcis-fly.
J63843. Help fight the European corn borer.

YEARBOOK SEPARATES

- *786Y. How weevils get into beans.

DEPARTMENT CIRCULARS

(The publications in this series are semipopular in character.)

- 172C. The range crane-flies in California.
*224C. Nicotine dust for control of the striped cucumber beetle.
263C. Preliminary report on the control of the San Jose scale with lubricating oil emulsion.
*282C. The Australian tomato weevil introduced in the South. A preliminary account.
*284C. The sterilization of American foulbrood combs.
287C. The occurrence of diseases of adult bees, II.
294C. The rat mite attacking man.
361C. The cotton hopper or so-called cotton flea.
363C. The Japanese beetle.
367C. Airplane dusting in the control of malaria mosquitoes.
380C. Calcium cyanide as a fumigant for ornamental greenhouse plants.
395C. The oriental peach moth.